- Evolution of the Internet
  - 1958: in response to Sputnik the Advanced Research Projects Agency (ARPA) is created
  - 1969: ARPANET commissioned by DoD
    - architecture consisted of Interface Message Processors (IMPs)
    - first four IMPS installed
  - early 70s: Term *Internet* was used over ARPANET

1

- Evolution of the Internet, cont.
  - early 70s: IP protocol moved data from one site to another, but without guarantee
  - then TCP (transmission control protocol) was added on top of IP to establish "reliability"
  - UDP (user datagram protocol) added low overhead method, but it does not guarantee message arrival
  - IP addresses had to be uniquely defined for each Network Information Center (NIC)

- Evolution of the Internet, cont.
  - classes of networks were defined, e.g., Class A or our B
  - now internet applications could be built, e.g., telnet and ftp
  - 1980s: new hosts were added at a rate that required daily network host table modifications
    - each ARPANET site had to download new host tables each day to stay up-to-date
    - the number of available hostnames was dwindling, since each hostname in the entire network had to be unique

3

- Evolution of the Internet, cont.
  - Domain Name Service (DNS)
    - DNS and BIND (Berkeley Internet Name Deamon) proposed
      - hierarchy of domain naming of network hosts
      - method for providing address information to anyone who requested it

- Evolution of the Internet, cont.
  - Common top-level domain names
    - biz: business
    - com: commercial
    - edu: educational
    - gov: governmental
    - info: unrestricted (i.e., anything)
    - mil: military
    - net: network service provider
    - org: nonprofit organization
    - XX: two-letter country code

5

- Command host
  - Utility: host [ hostname | IPaddress ]
  - contacts the local Name Service and requests the IP address for a given hostname.
  - It can also do a reverse lookup, where by specifying an IP address you receive the hostname for that address.

#### Command host

-bash-3.2\$ host www.ebay.com
www.ebay.com is an alias for hp-core.ebay.com.
hp-core.ebay.com has address 66.211.181.15
hp-core.ebay.com has address 66.211.181.19
hp-core.ebay.com has address 66.135.200.27
hp-core.ebay.com has address 66.135.200.145
hp-core.ebay.com has address 66.211.181.11
-bash-3.2\$

-bash-3.2\$ host 66.211.181.15 15.181.211.66.in-addr.arpa domain name pointer hp-core.ebay.com. -bash-3.2\$

7

- The Web of the 90s
  - millions of users and no real app until...
  - Mosaic, the first browser came out
    - could do things without having to use e.g., telnet or ftp
    - Mosaic could display pages of information textually and graphically
    - Mosaic used a page description language called HyperText Markup Language (HTML)
      - the hyperlink was most revolutionary aspect
      - now one could "navigate"
      - but: each participating site had to set up servers to provide this info

- The Web of the 90s
  - Some of the people involved in the early releases of Mosaic later formed Netscape Communications Inc.
  - The Web vs the Internet
    - "Did you mean the Internet of the web of information available on the Internet?"
    - Internet: the networked infrastructure
    - Web: the web of information (HTML documents) connected to others (via hyperlinks)

9

- Security, or "lack thereof"
  - Internet security is a huge topic
  - Internet was not designed with electronic commerce in mind
  - Major risks (as per our book)
    - information copying
    - information modification
    - impersonation
    - denial of service

- Security, or "lack thereof"
  - Common definition in terms of
    - confidentiality
    - integrity
    - availability
    - authenticity
    - non-repudiation

1 1

- Other issues
  - Copyright
  - Censorship
  - Misinformation
  - Acceptable Use