

Threads, SMP, and Microkernels

Chapter 4

1

Process

- Two characteristics:
 - Resource ownership
 - process includes a virtual address space to hold the process image
 - Scheduling/execution
 - follows an execution path that may be interleaved with other processes
 - These two characteristics are treated independently by the OS

Process

- **process**
 - sometimes referred to as *task* or *job*
 - refers to resource of ownership
 - (addresses the 1st characteristic)
- **thread or lightweight process**
 - this is the unit of dispatching
 - (addresses the 2nd characteristic)

Sequence 8

CS 240

3


Multithreading

- Operating system supports multiple threads of execution within a single process
 - MS-DOS supports a single thread
 - UNIX supports multiple user processes but only supports one thread per process
 - Windows, Solaris, Linux, Mach, OS X, and OS/2 support multiple threads
 - e.g. OS X 10.6 (snow leopard) offers POSIX threads (or pthreads, POSIX 1003.1c standard), and Cocoa threads

Sequence 8

CS 240

4



Process

- In multithreaded environment a **process** is the unit of resource allocation and a unit of protection
- Processes
 - Have a virtual address space which holds the process image
 - Protected access to processors, other processes, files, and I/O resources

Thread

- Within a process there are one or more threads, each with the following:
 - an execution state (running, ready, etc.)
 - a saved thread context when not running
 - may view a thread as an independent program counter operating within a process
 - an execution stack
 - some per-thread static storage for local variables
 - access to the memory & resources of its process
 - all threads of a process share this

Sequence 8

CS 240

7




Figure 4.2 Single Threaded and Multithreaded Process Models

Sequence 8

CS 240

8

Benefits of Threads

- Takes less time to create a new thread than a process
- Less time to terminate a thread than a process
- Less time to switch between two threads within the same process
- Since threads within the same process share memory and files, they can communicate with each other without invoking the kernel

Sequence 8

CS 240

9

Threads in a Single-User Multiprocessing System

- Foreground to background work
 - e.g. spreadsheet, multiple threads display menus, read user input, update spreadsheet etc.
- Asynchronous processing
 - e.g. thread in word processor to periodically flush RAM to disk

Sequence 8

CS 240

10

Threads in a Single-User Multiprocessing System

- Speed of execution
 - e.g. a process may compute one batch of data while reading in the next.
 - in multiprocessor: true parallel execution of threads in a process
- Modular program structure
 - thread model can be used to “group” activities of process

Sequence 8

CS 240

11

Quick jump into the real world of research

- Discussion: Processes, Threads and Check pointing in GRID application
 - Samir Jafar, Axel Krings and Thierry Gautier, "Flexible Rollback Recovery in Dynamic Heterogeneous Grid Computing", IEEE Transactions on Dependable and Secure Computing, (TDSC), Vol.~6, No.~1, January-March, 2009.
 - Jafar Samir, Axel W. Krings, Thierry Gautier, and Jean-Louis Roch, "Theft-Induced Checkpointing for Reconfigurable Dataflow Applications", IEEE Electro/Information Technology Conference , (EIT 2005), May 22-25, Lincoln, Nebraska, 2005.
 - Krings Axel W., Jean-Louis Roch, and Samir Jafar, "Certification of Large Distributed Computations with Task Dependencies in Hostile Environments", IEEE Electro/Information Technology Conference , (EIT 2005), May 22-25, Lincoln, Nebraska, 2005.
- available at <http://www.cs.uidaho.edu/~krings/publications.html>

Sequence 8

CS 240

12